


GB210

Front panel mount receptacle, with accessory-thread and trough fixing holes These receptacles correspond to the standards MIL-DTL-5015 and VG95234. They can be used for both indoor and outdoor applications.

Depending on the backshell used watertightness of up to IP69K can be achieved for the connection. The receptacles have been tested for outdoor use according to IEC EN 60529 IP65 / IP67 / IP68 (5bar) and according to DIN 40050 and IP69K.

For outdoor applications a back shell with sealed cable clamp or with an adapter for heat shrinkable shapes is required.

The main properties of these railway-fit receptacles are, in brief: Bayonet coupling | Inserts up to 105 contacts | Cross sections from 0.5 to 50 mm2 | Resistant against fuels, greas- and insulating oils etc. | High mechanical loading capacity



Item number	Size	Number of contacts	D1 (Ø)	N1	L1 (mm)	EMI
GB210-10SL-3PN-EAC	10SL	3	18.2	5/8"-24 UNEF 2A	25.0	No
GB210-10SL-3SN-EAC	10SL	3	18.2	5/8"-24 UNEF 2A	25.0	No
GB210-10SL-4PN-EAC	10SL	2	18.2	5/8"-24 UNEF 2A	25.0	No
GB210-10SL-4SN-EAC	10SL	2	18.2	5/8"-24 UNEF 2A	25.0	No
GB210-14S-2PN-EAC	14S	4	24.6	3/4"-20 UNEF 2A	25.0	No
GB210-14S-2SN-EAC	14S	4	24.6	3/4"-20 UNEF 2A	25.0	No
GB210-14S-5PN-EAC	14S	5	24.6	3/4"-20 UNEF 2A	25.0	No
GB210-14S-5SN-EAC	14S	5	24.6	3/4"-20 UNEF 2A	25.0	No
GB210-14S-6PN-EAC	14S	6	24.6	3/4"-20 UNEF 2A	25.0	No
GB210-14S-6SN-EAC	14S	6	24.6	3/4"-20 UNEF 2A	25.0	No
GB210-14S-7PN-EAC	14S	3	24.6	3/4"-20 UNEF 2A	25.0	No
GB210-14S-7SN-EAC	14S	3	24.6	3/4"-20 UNEF 2A	25.0	No
GB210-14S-9PN-EAC	14S	2	24.6	3/4"-20 UNEF 2A	25.0	No
GB210-14S-9SN-EAC	14S	2	24.6	3/4"-20 UNEF 2A	25.0	No
GB210-14S-A7PN-EAC	14S	7	24.6	3/4"-20 UNEF 2A	25.0	No
GB210-14S-A7SN-EAC	14S	7	24.6	3/4"-20 UNEF 2A	25.0	No
GB210-16S-1PN-EAC	16S	7	27.4	7/8"-20 UNEF 2A	25.0	No
GB210-16S-1SN-EAC	16S	7	27.4	7/8"-20 UNEF 2A	25.0	No
GB210-16S-4PN-EAC	16S	2	27.4	7/8"-20 UNEF 2A	25.0	No
GB210-16S-4SN-EAC	16S	2	27.4	7/8"-20 UNEF 2A	25.0	No
GB210-16S-5PN-EAC	16S	3	27.4	7/8"-20 UNEF 2A	25.0	No
GB210-16S-5SN-EAC	16S	3	27.4	7/8"-20 UNEF 2A	25.0	No

Chrummacherstr. 3 CH-8954
Geroldswil
info@gimota.ch
+41 44 749 30 10
+41 44 749 30 15

Item number	Size	Number of contacts	D1 (Ø)	N1	L1 (mm)	EMI
GB210-16S-8PN-EAC	16S	5	27.4	7/8"-20 UNEF 2A	25.0	No
GB210-16S-8SN-EAC	16S	5	27.4	7/8"-20 UNEF 2A	25.0	No
GB210-16-9PN-EAC	16	4	27.4	7/8"-20 UNEF 2A	34.0	No
GB210-16-9SN-EAC	16	4	27.4	7/8"-20 UNEF 2A	34.0	No
GB210-16-10PN-EAC	16	3	27.4	7/8"-20 UNEF 2A	34.0	No
GB210-16-10SN-EAC	16	3	27.4	7/8"-20 UNEF 2A	34.0	No
GB210-18-1PN-EAC	18	10	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-1SN-EAC	18	10	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-3PN-EAC	18	2	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-3SN-EAC	18	2	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-4PN-EAC	18	4	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-4SN-EAC	18	4	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-8PN-EAC	18	8	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-8SN-EAC	18	8	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-9PN-EAC	18	7	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-9SN-EAC	18	7	31.0	1"-20 UNEF 2A	25.0	No
GB210-18-10PN-EAC	18	4	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-10SN-EAC	18	4	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-11PN-EAC	18	5	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-11SN-EAC	18	5	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-12PN-EAC	18	6	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-12SN-EAC	18	6	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-19PN-EAC	18	10	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-19SN-EAC	18	10	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-20PN-EAC	18	5	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-20SN-EAC	18	5	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-22PN-EAC	18	3	31.0	1"-20 UNEF 2A	34.3	No
GB210-18-22SN-EAC	18	3	31.0	1"-20 UNEF 2A	34.3	No
GB210-20-3PN-EAC	20	3	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-3SN-EAC	20	3	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-4PN-EAC	20	4	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-4SN-EAC	20	4	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-7PN-EAC	20	8	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-7SN-EAC	20	8	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-11PN-EAC	20	13	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-11SN-EAC	20	13	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-15PN-EAC	20	7	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-15SN-EAC	20	7	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-18PN-EAC	20	9	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-18SN-EAC	20	9	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-19PN-EAC	20	3	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-19SN-EAC	20	3	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-24PN-EAC	20	4	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-24SN-EAC	20	4	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-27PN-EAC	20	14	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-27SN-EAC	20	14	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-29PN-EAC	20	17	34.2	1 1/8"-18 UNEF 2A	34.3	No

Chrummacherstr. 3 CH-8954
Geroldswil
info@gimota.ch
+41 44 749 30 10
+41 44 749 30 15

Item number	Size	Number of contacts	D1 (Ø)	N1	L1 (mm)	EMI
GB210-20-29SN-EAC	20	17	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-33PN-EAC	20	11	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-33SN-EAC	20	11	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-A48PN-EAC	20	19	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-20-A48SN-EAC	20	19	34.2	1 1/8"-18 UNEF 2A	34.3	No
GB210-22-1PN-EAC	22	2	37.4	1 1/4"-18 UNEF 2A	34.3	No
GB210-22-1SN-EAC	22	2	37.4	1 1/4"-18 UNEF 2A	34.3	No
GB210-22-2PN-EAC	22	3	37.4	1 1/4"-18 UNEF 2A	34.3	No
GB210-22-2SN-EAC	22	3	37.4	1 1/4"-18 UNEF 2A	34.3	No
GB210-22-14PN-EAC	22	19	37.4	1 1/4"-18 UNEF 2A	34.3	No
GB210-22-14SN-EAC	22	19	37.4	1 1/4"-18 UNEF 2A	34.3	No
GB210-22-18PN-EAC	22	8	37.4	1 1/4"-18 UNEF 2A	34.3	No
GB210-22-18SN-EAC	22	8	37.4	1 1/4"-18 UNEF 2A	34.3	No
GB210-22-19PN-EAC	22	14	37.4	1 1/4"-18 UNEF 2A	34.3	No
GB210-22-19SN-EAC	22	14	37.4	1 1/4"-18 UNEF 2A	34.3	No
GB210-22-21PN-EAC	22	3	37.4	1 1/4"-18 UNEF 2A	34.3	No
GB210-22-21SN-EAC	22	3	37.4	1 1/4"-18 UNEF 2A	34.3	No
GB210-22-22PN-EAC	22	4	37.4	1 1/4"-18 UNEF 2A	34.3	No
GB210-22-22SN-EAC	22	4	37.4	1 1/4"-18 UNEF 2A	34.3	No
GB210-22-23PN-EAC	22	8	37.4	1 1/4"-18 UNEF 2A	34.3	No
GB210-22-23SN-EAC	22	8	37.4	1 1/4"-18 UNEF 2A	34.3	No
GB210-22-A10PN-EAC	22	10	37.4	1 1/4"-18 UNEF 2A	34.3	No
GB210-22-A10SN-EAC	22	10	37.4	1 1/4"-18 UNEF 2A	34.3	No
GB210-24-2PN-EAC	24	7	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-2SN-EAC	24	7	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-5PN-EAC	24	16	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-5SN-EAC	24	16	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-07PN-EAC	24	7	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-07SN-EAC	24	7	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-9PN-EAC	24	2	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-9SN-EAC	24	2	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-10PN-EAC	24	7	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-10SN-EAC	24	7	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-11PN-EAC	24	9	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-11SN-EAC	24	9	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-12PN-EAC	24	5	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-12SN-EAC	24	5	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-19PN-EAC	24	12	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-19SN-EAC	24	12	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-20PN-EAC	24	11	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-20SN-EAC	24	11	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-22PN-EAC	24	4	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-22SN-EAC	24	4	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-27PN-EAC	24	7	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-27SN-EAC	24	7	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-28PN-EAC	24	24	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-28SN-EAC	24	24	41.0	1 3/8"-18 UNEF 2A	36.0	No

Chrummacherstr. 3 CH-8954
Geroldswil
info@gimota.ch
+41 44 749 30 10
+41 44 749 30 15

Item number	Size	Number of contacts	D1 (Ø)	N1	L1 (mm)	EMI
GB210-24-A25PN-EAC	24	25	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-A25SN-EAC	24	25	41.0	1 3/8"-18 UNEF 2A	36.0	No
GB210-24-A28PN-EAC	28	28	41.0	1 5/8"-18 UNEF 2A	36.0	No
GB210-24-A28SN-EAC	28	28	41.0	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-1PN-EAC	28	9	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-1SN-EAC	28	9	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-2PN-EAC	28	14	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-2SN-EAC	28	14	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-3PN-EAC	28	3	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-3SN-EAC	28	3	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-5PN-EAC	28	5	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-5SN-EAC	28	5	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-6PN-EAC	28	3	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-6SN-EAC	28	3	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-10PN-EAC	28	7	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-10SN-EAC	28	7	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-11PN-EAC	28	22	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-11SN-EAC	28	22	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-12PN-EAC	28	26	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-12SN-EAC	28	26	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-15PN-EAC	28	35	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-15SN-EAC	28	35	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-16PN-EAC	28	20	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-16SN-EAC	28	20	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-20PN-EAC	28	14	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-20SN-EAC	28	14	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-21PN-EAC	28	37	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-21SN-EAC	28	37	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-22PN-EAC	28	6	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-22SN-EAC	28	6	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-51PN-EAC	28	12	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-28-51SN-EAC	28	12	46.7	1 5/8"-18 UNEF 2A	36.0	No
GB210-32-1PN-EAC	32	5	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-1SN-EAC	32	5	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-5PN-EAC	32	2	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-5SN-EAC	32	2	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-8PN-EAC	32	30	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-8SN-EAC	32	30	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-013PN-EAC	32	13	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-013SN-EAC	32	13	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-15PN-EAC	32	8	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-15SN-EAC	32	8	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-17PN-EAC	32	4	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-17SN-EAC	32	4	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-22PN-EAC	32	54	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-22SN-EAC	32	54	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-31PN-EAC	32	31	53.4	1 7/8"-16 UN 2A	37.5	No

Chrummacherstr. 3 CH-8954
Geroldswil
info@gimota.ch
+41 44 749 30 10
+41 44 749 30 15

Item number	Size	Number of contacts	D1 (Ø)	N1	L1 (mm)	EMI
GB210-32-31SN-EAC	32	31	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-59PN-EAC	32	42	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-59SN-EAC	32	42	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-A9PN-EAC	32	9	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-A9SN-EAC	32	9	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-A30PN-EAC	32	30	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-A30SN-EAC	32	30	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-A55PN-EAC	32	55	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-32-A55SN-EAC	32	55	53.4	1 7/8"-16 UN 2A	37.5	No
GB210-36-3PN-EAC	36	6	60.0	2 1/16"-16 UN 2A	37.5	No
GB210-36-3SN-EAC	36	6	60.0	2 1/16"-16 UN 2A	37.5	No
GB210-36-5PN-EAC	36	4	60.0	2 1/16"-16 UN 2A	37.5	No
GB210-36-5SN-EAC	36	4	60.0	2 1/16"-16 UN 2A	37.5	No
GB210-36-7PN-EAC	36	47	60.0	2 1/16"-16 UN 2A	37.5	No
GB210-36-7SN-EAC	36	47	60.0	2 1/16"-16 UN 2A	37.5	No
GB210-36-10PN-EAC	36	48	60.0	2 1/16"-16 UN 2A	37.5	No
GB210-36-10SN-EAC	36	48	60.0	2 1/16"-16 UN 2A	37.5	No
GB210-36-15PN-EAC	36	35	60.0	2 1/16"-16 UN 2A	37.5	No
GB210-36-15SN-EAC	36	35	60.0	2 1/16"-16 UN 2A	37.5	No
GB210-36-A22PN-EAC	36	22	60.0	2 1/16"-16 UN 2A	37.5	No
GB210-36-A22SN-EAC	36	22	60.0	2 1/16"-16 UN 2A	37.5	No
GB210-40-9PN-EAC	40	47	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-9SN-EAC	40	47	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-31PN-EAC	40	31	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-31SN-EAC	40	31	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-35PN-EAC	40	35	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-35SN-EAC	40	35	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-56PN-EAC	40	85	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-56SN-EAC	40	85	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-63PN-EAC	40	61	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-63SN-EAC	40	61	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-A4PN-EAC	40	4	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-A4SN-EAC	40	4	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-A8PN-EAC	40	8	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-A8SN-EAC	40	8	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-A10PN-EAC	40	8	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-A10SN-EAC	40	8	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-A14PN-EAC	40	14	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-A14SN-EAC	40	14	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-A20PN-EAC	40	20	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-A20SN-EAC	40	20	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-A25PN-EAC	40	25	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-A25SN-EAC	40	25	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-A47PN-EAC	40	47	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-A47SN-EAC	40	47	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-A60PN-EAC	40	60	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-A60SN-EAC	40	60	66.0	2 5/16"-16 UN 2A	37.5	No

Chrummacherstr. 3 CH-8954
Geroldswil
info@gimota.ch
+41 44 749 30 10
+41 44 749 30 15

Item number	Size	Number of contacts	D1 (Ø)	N1	L1 (mm)	EMI
GB210-40-A62PN-EAC	40	62	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-A62SN-EAC	40	62	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-B37PN-EAC	40	37	66.0	2 5/16"-16 UN 2A	37.5	No
GB210-40-B37SN-EAC	40	37	66.0	2 5/16"-16 UN 2A	37.5	No

Chrummacherstr. 3 CH-8954
Geroldswil
info@gimota.ch
+41 44 749 30 10
+41 44 749 30 15