




GR321

Panel receptacle,
with accessory-thread and trough fixing holes These receptacles correspond to the standards MIL-DTL-5015 and VG95234. They can be used for both indoor and outdoor applications.

Depending on the backshell used watertightness of up to IP69K can be achieved for the connection. The receptacles have been tested for outdoor use according to IEC EN 60529 IP65 / IP67 / IP68 (5bar) and according to DIN 40050 and IP69K.

For outdoor use a back shell with sealed cable clamp or with an adapter for heat shrinkable shapes is required.

The main properties of these railway-fit receptacles are, in brief: Bayonet coupling | Inserts up to 105 contacts | Cross sections from 0.5 to 50 mm² | Resistant against fuels, greas- and insulating oils etc. | High mechanical loading capacity



Item number	Size	Number of contacts	D1 (Ø)	N1	L1 (mm)	EMI
GR321-10SL-3PN-EAA	10SL	3	18.2	5/8"-24 UNEF 2A	30.0	Yes
GR321-10SL-3SN-EAA	10SL	3	18.2	5/8"-24 UNEF 2A	30.0	Yes
GR321-10SL-4PN-EAA	10SL	2	18.2	5/8"-24 UNEF 2A	30.0	Yes
GR321-10SL-4SN-EAA	10SL	2	18.2	5/8"-24 UNEF 2A	30.0	Yes
GR321-14S-2PN-EAA	14S	4	24.6	3/4"-20 UNEF 2A	30.0	Yes
GR321-14S-2SN-EAA	14S	4	24.6	3/4"-20 UNEF 2A	30.0	Yes
GR321-14S-5SN-EAA	14S	5	24.6	3/4"-20 UNEF 2A	30.0	Yes
GR321-14S-5PN-EAA	14S	5	24.6	3/4"-20 UNEF 2A	30.0	Yes
GR321-14S-6PN-EAA	14S	6	24.6	3/4"-20 UNEF 2A	30.0	Yes
GR321-14S-6SN-EAA	14S	6	24.6	3/4"-20 UNEF 2A	30.0	Yes
GR321-14S-7PN-EAA	14S	3	24.6	3/4"-20 UNEF 2A	30.0	Yes
GR321-14S-7SN-EAA	14S	3	24.6	3/4"-20 UNEF 2A	30.0	Yes
GR321-14S-A7PN-EAA	14S	7	24.6	3/4"-20 UNEF 2A	30.0	Yes
GR321-14S-A7SN-EAA	14S	7	24.6	3/4"-20 UNEF 2A	30.0	Yes
GR321-14S-9PN-EAA	14S	2	24.6	3/4"-20 UNEF 2A	30.0	Yes
GR321-14S-9SN-EAA	14S	2	24.6	3/4"-20 UNEF 2A	30.0	Yes
GR321-16S-1PN-EAA	16S	7	27.4	7/8"-20 UNEF 2A	30.0	Yes
GR321-16S-1SN-EAA	16S	7	27.4	7/8"-20 UNEF 2A	30.0	Yes
GR321-16S-4PN-EAA	16S	2	27.4	7/8"-20 UNEF 2A	30.0	Yes
GR321-16S-4SN-EAA	16S	2	27.4	7/8"-20 UNEF 2A	30.0	Yes
GR321-16S-5PN-EAA	16S	3	27.4	7/8"-20 UNEF 2A	30.0	Yes

Item number	Size	Number of contacts	D1 (Ø)	N1	L1 (mm)	EMI
GR321-16S-5SN-EAA	16S	3	27.4	7/8"-20 UNEF 2A	30.0	Yes
GR321-16S-8PN-EAA	16S	5	27.4	7/8"-20 UNEF 2A	30.0	Yes
GR321-16S-8SN-EAA	16S	5	27.4	7/8"-20 UNEF 2A	30.0	Yes
GR321-16-9PN-EAA	16	4	27.4	7/8"-20 UNEF 2A	38.8	Yes
GR321-16-9SN-EAA	16	4	27.4	7/8"-20 UNEF 2A	38.8	Yes
GR321-16-10PN-EAA	16	3	27.4	7/8"-20 UNEF 2A	38.8	Yes
GR321-16-10SN-EAA	16	3	27.4	7/8"-20 UNEF 2A	38.8	Yes
GR321-18-1PN-EAA	18	10	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-1SN-EAA	18	10	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-3PN-EAA	18	2	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-3SN-EAA	18	2	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-4PN-EAA	18	4	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-4SN-EAA	18	4	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-8PN-EAA	18	8	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-8SN-EAA	18	8	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-9PN-EAA	18	7	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-9SN-EAA	18	7	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-10PN-EAA	18	4	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-10SN-EAA	18	4	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-11SN-EAA	18	5	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-11PN-EAA	18	5	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-12PN-EAA	18	6	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-12SN-EAA	18	6	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-19PN-EAA	18	10	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-19SN-EAA	18	10	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-20PN-EAA	18	5	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-20SN-EAA	18	5	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-22PN-EAA	18	3	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-18-22SN-EAA	18	3	31.0	1"-20 UNEF 2A	38.8	Yes
GR321-20-3PN-EAA	20	3	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-3SN-EAA	20	3	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-4PN-EAA	20	4	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-4SN-EAA	20	4	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-7PN-EAA	20	8	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-7SN-EAA	20	8	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-11PN-EAA	20	13	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-11SN-EAA	20	13	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-15PN-EAA	20	7	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-15SN-EAA	20	7	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-18PN-EAA	20	9	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-18SN-EAA	20	9	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-19PN-EAA	20	3	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-19SN-EAA	20	3	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-24PN-EAA	20	4	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-24SN-EAA	20	4	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-27SN-EAA	20	14	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-27PN-EAA	20	14	34.2	1 1/8"-18 UNEF 2A	38.8	Yes



Item number	Size	Number of contacts	D1 (Ø)	N1	L1 (mm)	EMI
GR321-20-29PN-EAA	20	17	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-29SN-EAA	20	17	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-33PN-EAA	20	11	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-33SN-EAA	20	11	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-A48PN-EAA	20	19	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-20-A48SN-EAA	20	19	34.2	1 1/8"-18 UNEF 2A	38.8	Yes
GR321-22-1PN-EAA	22	2	37.4	1 1/4"-18 UNEF 2A	38.8	Yes
GR321-22-1SN-EAA	22	2	37.4	1 1/4"-18 UNEF 2A	38.8	Yes
GR321-22-2PN-EAA	22	3	37.4	1 1/4"-18 UNEF 2A	38.8	Yes
GR321-22-2SN-EAA	22	3	37.4	1 1/4"-18 UNEF 2A	38.8	Yes
GR321-22-A10PN-EAA	22	10	37.4	1 1/4"-18 UNEF 2A	38.8	Yes
GR321-22-A10SN-EAA	22	10	37.4	1 1/4"-18 UNEF 2A	38.8	Yes
GR321-22-14PN-EAA	22	19	37.4	1 1/4"-18 UNEF 2A	38.8	Yes
GR321-22-14SN-EAA	22	19	37.4	1 1/4"-18 UNEF 2A	38.8	Yes
GR321-22-18PN-EAA	22	8	37.4	1 1/4"-18 UNEF 2A	38.8	Yes
GR321-22-18SN-EAA	22	8	37.4	1 1/4"-18 UNEF 2A	38.8	Yes
GR321-22-19PN-EAA	22	14	37.4	1 1/4"-18 UNEF 2A	38.8	Yes
GR321-22-19SN-EAA	22	14	37.4	1 1/4"-18 UNEF 2A	38.8	Yes
GR321-22-21PN-EAA	22	3	37.4	1 1/4"-18 UNEF 2A	38.8	Yes
GR321-22-21SN-EAA	22	3	37.4	1 1/4"-18 UNEF 2A	38.8	Yes
GR321-22-22PN-EAA	22	4	37.4	1 1/4"-18 UNEF 2A	38.8	Yes
GR321-22-22SN-EAA	22	4	37.4	1 1/4"-18 UNEF 2A	38.8	Yes
GR321-22-23PN-EAA	22	8	37.4	1 1/4"-18 UNEF 2A	38.8	Yes
GR321-22-23SN-EAA	22	8	37.4	1 1/4"-18 UNEF 2A	38.8	Yes
GR321-24-2PN-EAA	24	7	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-2SN-EAA	24	7	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-5PN-EAA	24	16	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-5SN-EAA	24	16	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-07PN-EAA	24	7	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-07SN-EAA	24	7	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-9PN-EAA	24	2	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-9SN-EAA	24	2	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-10PN-EAA	24	7	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-10SN-EAA	24	7	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-11PN-EAA	24	9	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-11SN-EAA	24	9	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-12PN-EAA	24	5	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-12SN-EAA	24	5	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-19PN-EAA	24	12	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-19SN-EAA	24	12	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-20PN-EAA	24	11	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-20SN-EAA	24	11	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-22PN-EAA	24	4	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-22SN-EAA	24	4	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-A25PN-EAA	24	25	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-A25SN-EAA	24	25	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-27PN-EAA	24	7	41.0	1 3/8"-18 UNEF 2A	38.8	Yes

Item number	Size	Number of contacts	D1 (Ø)	N1	L1 (mm)	EMI
GR321-24-27SN-EAA	24	7	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-28PN-EAA	24	24	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-28SN-EAA	24	24	41.0	1 3/8"-18 UNEF 2A	38.8	Yes
GR321-24-A28PN-EAA	28	28	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-24-A28SN-EAA	28	28	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-1PN-EAA	28	9	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-1SN-EAA	28	9	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-2PN-EAA	28	14	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-2SN-EAA	28	14	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-3PN-EAA	28	3	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-3SN-EAA	28	3	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-5PN-EAA	28	5	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-5SN-EAA	28	5	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-6PN-EAA	28	3	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-6SN-EAA	28	3	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-10PN-EAA	28	7	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-10SN-EAA	28	7	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-11PN-EAA	28	22	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-11SN-EAA	28	22	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-12PN-EAA	28	26	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-12SN-EAA	28	26	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-15PN-EAA	28	35	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-15SN-EAA	28	35	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-16PN-EAA	28	20	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-16SN-EAA	28	20	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-20PN-EAA	28	14	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-20SN-EAA	28	14	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-21PN-EAA	28	37	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-21SN-EAA	28	37	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-22PN-EAA	28	6	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-22SN-EAA	28	6	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-51PN-EAA	28	12	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-28-51SN-EAA	28	12	46.7	1 5/8"-18 UNEF 2A	39.1	Yes
GR321-32-1PN-EAA	32	5	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-1SN-EAA	32	5	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-5PN-EAA	32	2	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-5SN-EAA	32	2	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-8PN-EAA	32	30	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-8SN-EAA	32	30	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-A9PN-EAA	32	9	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-A9SN-EAA	32	9	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-013PN-EAA	32	13	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-013SN-EAA	32	13	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-15PN-EAA	32	8	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-15SN-EAA	32	8	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-17PN-EAA	32	4	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-17SN-EAA	32	4	53.4	1 7/8"-16 UN 2A	39.5	Yes



Chrummacherstr. 3 CH-8954
Geroldswil



info@gimota.ch



+41 44 749 30 10



+41 44 749 30 15

Item number	Size	Number of contacts	D1 (Ø)	N1	L1 (mm)	EMI
GR321-32-22PN-EAA	32	54	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-22SN-EAA	32	54	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-A30PN-EAA	32	30	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-A30SN-EAA	32	30	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-31PN-EAA	32	31	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-31SN-EAA	32	31	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-A55PN-EAA	32	55	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-A55SN-EAA	32	55	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-59PN-EAA	32	42	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-32-59SN-EAA	32	42	53.4	1 7/8"-16 UN 2A	39.5	Yes
GR321-36-3PN-EAA	36	6	60.0	2 1/16"-16 UN 2A	39.5	Yes
GR321-36-3SN-EAA	36	6	60.0	2 1/16"-16 UN 2A	39.5	Yes
GR321-36-5PN-EAA	36	4	60.0	2 1/16"-16 UN 2A	39.5	Yes
GR321-36-5SN-EAA	36	4	60.0	2 1/16"-16 UN 2A	39.5	Yes
GR321-36-7PN-EAA	36	47	60.0	2 1/16"-16 UN 2A	39.5	Yes
GR321-36-7SN-EAA	36	47	60.0	2 1/16"-16 UN 2A	39.5	Yes
GR321-36-10PN-EAA	36	48	60.0	2 1/16"-16 UN 2A	39.5	Yes
GR321-36-10SN-EAA	36	48	60.0	2 1/16"-16 UN 2A	39.5	Yes
GR321-36-15PN-EAA	36	35	60.0	2 1/16"-16 UN 2A	39.5	Yes
GR321-36-15SN-EAA	36	35	60.0	2 1/16"-16 UN 2A	39.5	Yes
GR321-36-A22PN-EAA	36	22	60.0	2 1/16"-16 UN 2A	39.5	Yes
GR321-36-A22SN-EAA	36	22	60.0	2 1/16"-16 UN 2A	39.5	Yes
GR321-40-A3PN-EAA	40	3	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A3SN-EAA	40	3	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A4PN-EAA	40	4	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A4SN-EAA	40	4	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A8PN-EAA	40	8	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A8SN-EAA	40	8	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-9PN-EAA	40	47	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-9SN-EAA	40	47	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A10PN-EAA	40	8	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A10SN-EAA	40	8	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A14PN-EAA	40	14	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A14SN-EAA	40	14	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A20PN-EAA	40	20	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A20SN-EAA	40	20	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A25PN-EAA	40	25	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A25SN-EAA	40	25	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-31PN-EAA	40	31	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-31SN-EAA	40	31	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-35SN-EAA	40	35	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-35PN-EAA	40	35	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-B37PN-EAA	40	37	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-B37SN-EAA	40	37	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A47PN-EAA	40	47	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A47SN-EAA	40	47	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-56PN-EAA	40	85	65.5	2 5/16"-16 UN 2A	39.5	Yes



Item number	Size	Number of contacts	D1 (Ø)	N1	L1 (mm)	EMI
GR321-40-56SN-EAA	40	85	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A60PN-EAA	40	60	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A60SN-EAA	40	60	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A62PN-EAA	40	62	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-A62SN-EAA	40	62	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-63PN-EAA	40	61	65.5	2 5/16"-16 UN 2A	39.5	Yes
GR321-40-63SN-EAA	40	61	65.5	2 5/16"-16 UN 2A	39.5	Yes