


# Plug cover set TRAC2ST

Sub-D plug with 2 straight cable entries, metric thread, size 1

Item number: TRAC2ST1-8

## Technical characteristics

Size:	1
Shell material:	Zinc cast
Surface treatment:	Non
Type of surface:	self passivating
Surface colour:	grey
Corrosion resistance (h):	100
EMI:	Yes
No. of cable entrances:	2
Screw material:	Stainless steel V2
Operation temperature:	-55°C - +105°C
Fire protection class UL94:	UL94 - V0



## Dimensional drawing

L1 (mm):	31.0
L2 (mm):	23.4
N1:	M3
T1 (mm):	42.5
H1 (mm):	17.9

## Complementary products:

### Connectors:

**SUH02W2P**

Pin contact housing D-SUB - 2-poles

**SUH02W2S**

Socket contact housing D-SUB - 2-poles

**SUH09P**

Pin contact housing D-SUB - 9-poles

**SUH09S**

Socket contact housing D-SUB - 9-poles

**SUHV09P**

Pin contact housing D-SUB - 9-poles

**SUHV09S**

Socket contact housing D-SUB - 9-poles

### Cable clamps:

**SUKABC067S**

Cable clamp for Trac D-Sub and Trac DIN

**SUKABC06S**

Cable clamp for Trac D-Sub and Trac DIN

**SUKABC06S-21**

Cable clamp for TRAC2ST

**SUKABC082S-21**

Cable clamp for TRAC2ST1

**SUKABC09S**

Cable clamp for Trac D-Sub and Trac DIN

**SUKABC10S**

Cable clamp for Trac D-Sub and Trac DIN

#### Filler plugs:

**SUBL08**

Blind plug for TRAC D-SUB

**SUBL10**

Blind plug for TRAC D-SUB

**SUBL20**

Blind plug for TRAC D-SUB

#### Fixing plates:

**SUSS09-2**

Fixing plate size 1 - angled

**SUSS09-4**

Fixing plate size 1 - elbow

**SUSS09-5-2**

Fixing plate size 1 - (up to 2 connector)

**SUSS09-5-CB1**

Fixing plate size 1 with coding plate

**SUSS09-5-4**

Fixing plate size 1 - (up to 4 connector)