



Plug cover set TRAC2ST

Sub-D plug with 2 straight cable entries, metric thread, size 1

Item number: TRAC2ST1-8


Stable die-cast zinc hoods with up to three straight cable outlets and excellent contacting between hood and cable clamp (also if currents are higher) The connectors meet the protection class IP44 according to EN 60529. Each cable entry can be fitted with a 360° EMI shield connection with integrated strain relief. All connectors can be coded if needed also after assembly.

The key characteristics of these railway suitable connectors are the following:

stable zinc-cast hood | strain relief on the cable | 360° shield contacting on the cable clamp with a shield bushing | excellent contacting between hood and cable clamp | easy to code | all accessory screws made of stainless steel

Technical characteristics

Size:	1
Shell material:	Zinc cast
Surface treatment:	Non
Type of surface:	self passivating
Surface colour:	grey
Corrosion resistance (h):	100
EMI:	Yes
No. of cable entrances:	2
Screw material:	Stainless steel V2
Operation temperature:	-55°C - +105°C
Fire protection class UL94:	UL94 - V0



Dimensional drawing

L1 (mm):	31.0
L2 (mm):	23.4
N1:	M3
T1 (mm):	42.5
H1 (mm):	17.9

Complementary products:

Connectors:



SUH02W2P

Pin contact housing D-SUB - 2-poles



SUH02W2S

Socket contact housing D-SUB - 2-poles



SUH09P

Pin contact housing D-SUB - 9-poles



SUH09S

Socket contact housing D-SUB - 9-poles



SUHV09P

Pin contact housing D-SUB - 9-poles



SUHV09S

Socket contact housing D-SUB - 9-poles

Cable clamps:



SUKABC067S

Cable clamp for Trac D-Sub and Trac DIN



SUKABC06S

Cable clamp for Trac D-Sub and Trac DIN



SUKABC06S-21

Cable clamp for TRAC2ST



SUKABC082S-21

Cable clamp for TRAC2ST1



SUKABC09S

Cable clamp for Trac D-Sub and Trac DIN



SUKABC10S

Cable clamp for Trac D-Sub and Trac DIN

Filler plugs:



SUBL08

Blind plug for TRAC D-SUB



SUBL10

Blind plug for TRAC D-SUB



SUBL20

Blind plug for TRAC D-SUB

Fixing plates:



SUSS09-2

Fixing plate size 1 - angled



SUSS09-4

Fixing plate size 1 - elbow



SUSS09-5-2

Fixing plate size 1 - (up to 2 connector)



SUSS09-5-CB1

Fixing plate size 1 with coding plate



SUSS09-5-4

Fixing plate size 1 - (up to 4 connector)