



Plug cover set TRAC3ST

Sub-D plug with up to 4 straight cable entries, metric thread, size 2

Item number: TRAC3ST3-8


Stable die-cast zinc hoods with up to three straight cable outlets and excellent contacting between hood and cable clamp (also if currents are higher) The connectors meet the protection class IP44 according to EN 60529. Each cable entry can be fitted with a 360° EMI shield connection with integrated strain relief. All connectors can be coded if needed also after assembly.

The key characteristics of these railway suitable connectors are the following:

stable zinc-cast hood | strain relief on the cable | 360° shield contacting on the cable clamp with a shield bushing | excellent contacting between hood and cable clamp | easy to code | all accessory screws made of stainless steel

Technical characteristics

Size:	3
Shell material:	Zinc cast
Surface treatment:	Non
Type of surface:	self passivating
Surface colour:	grey
Corrosion resistance (h):	100
EMI:	Yes
No. of cable entrances:	3
Screw material:	Stainless steel V2
Operation temperature:	-55°C - +105°C
Fire protection class UL94:	UL94 - V0



Dimensional drawing

L1 (mm):	53.3
L2 (mm):	40.3
N1:	M3
T1 (mm):	42.5
H1 (mm):	17.9

Complementary products:

Connectors:



SUH05W5P

Pin contact housing D-SUB - 5-poles



SUH05W5S

Socket contact housing D-SUB - 5-poles



SUH09W4P

Pin contact housing D-SUB - 9-poles



SUH09W4S

Socket contact housing D-SUB - 9-poles



SUH13W3P

Pin contact housing D-SUB - 13-poles



SUH13W3S

Socket contact housing D-SUB - 13-poles



SUH17W2P

Pin contact housing D-SUB - 17-poles



SUH17W2S

Socket contact housing D-SUB - 17-poles



SUH25P

Pin contact housing D-SUB - 25-poles



SUH25S

Socket contact housing D-SUB - 25-poles



SUHV25P

Pin contact housing D-SUB - 25-poles



SUHV25S

Socket contact housing D-SUB - 25-poles

Cable clamps:



SUKABC067S

Cable clamp for Trac D-Sub and Trac DIN



SUKABC06S

Cable clamp for Trac D-Sub and Trac DIN



SUKABC09S

Cable clamp for Trac D-Sub and Trac DIN



SUKABC10S

Cable clamp for Trac D-Sub and Trac DIN



SUKABC057S-43

Cable clamp for TRAC3ST3

Filler plugs:



SUBL12

Blind plug for TRAC D-SUB

Fixing plates:



SUSS25-5-CB3

Fixing plate size 3 with coding plate