




Plug cover set TRACST

Sub-D plug with straight cable entry, metric thread, size 1

Item number: TRACST1-2

Technical characteristics

Size:	1
Shell material:	Zinc cast
Surface treatment:	Non
Type of surface:	self passivating
Surface colour:	grey
Corrosion resistance (h):	100
EMI:	Yes
No. of cable entrances:	1
Screw material:	Stainless steel V2
Operation temperature:	-55°C - +105°C
Fire protection class UL94:	UL94 - V0



Dimensional drawing

L1 (mm):	31.0
L2 (mm):	17.4
N1:	M3
T1 (mm):	37.6
H1 (mm):	17.9

Complementary products:

Connectors:

**SUH02W2P**

Pin contact housing D-SUB - 2-poles

**SUH02W2S**

Socket contact housing D-SUB - 2-poles

**SUH09P**

Pin contact housing D-SUB - 9-poles

**SUH09S**

Socket contact housing D-SUB - 9-poles

**SUHV09P**

Pin contact housing D-SUB - 9-poles

**SUHV09S**

Socket contact housing D-SUB - 9-poles

Cable clamps:

**SUKABC067S**

Cable clamp for Trac D-Sub and Trac DIN

**SUKABC06S**

Cable clamp for Trac D-Sub and Trac DIN

**SUKABC09S**

Cable clamp for Trac D-Sub and Trac DIN

**SUKABC10S**

Cable clamp for Trac D-Sub and Trac DIN

**SUKABC12**

Cable clamp for Trac D-Sub and Trac DIN

**SUKABC12X**

Cable clamp for Trac D-Sub and Trac DIN

**SUKABV69**

Cable clamp for Trac D-Sub and Trac DIN

Fixing plates:



SUSS09-2

Fixing plate size 1 - angled



SUSS09-4

Fixing plate size 1 - elbow



SUSS09-5-2

Fixing plate size 1 - (up to 2 connector)



SUSS09-5-CB1

Fixing plate size 1 with coding plate



SUSS09-5-4

Fixing plate size 1 - (up to 4 connector)